


movexii.com



Metric Version
2019



Movex[®]
PRODUCT CATALOG

Movex[®]


Facts



PRODUCTION
CAPACITY

16.500 Mq²
OF PRODUCTION SPACE

REFERENCE YEAR 2018



WAREHOUSE
CAPACITY

>23.000 DIFFERENT
PRODUCTS AVAILABLE

>200 EMPLOYEES
AROUND THE WORLD



MISSION

Creating value through innovative development of ideas, supporting our partners with professionalism, flexibility and effectiveness.

VISION

Reaching market leadership as a reliable and precise supplier. Planning the future without losing sight of our history and the values that allow our growth.

WE CREATE SOLUTIONS



In the new headquarters **Movex** designs and manufactures high quality components for the food, beverage, packaging, automotive and automation industries.

Movex meets your needs for standard and custom products in a dynamic and responsive way ensuring the best performance product with an attractive market price.

RESEARCH & DEVELOPMENT



The rich experience that **Movex** has acquired over the years shows that care and innovation of products are essential to guarantee constant quality.

Thanks to the investments as well as developing strategic departments **Movex** has created new space where research and innovation become concrete tools to satisfy customers' requirements.

WE SUPPORT YOU



A top service level is the goal of a qualified Engineering and Sales team with the objective of presenting **Movex** as a supplier of excellence to all clients.

Through a distribution/network which spans the globe, **Movex** offers technical support and a careful after-sales service, always at your disposal.

CONTACT US



Movex S.p.A.

Via Industria, 22 - 24060 Castelli Calepio (BG)

P +39 035 8359711 | F +39 035 4420873 | info@movexii.com

Movex around the world



Movex GmbH

P +49-6204-9375-0



Movex AG India

P +91-120-4159660-62



Movex USA Inc.

P +1-919-274-5477



Movex Brasil Ltda

P +55-15-3141-2550



Movex UK Ltd.

P +44-77-20678442



Movex SA de CV

P +52-1-3318458187



Movex France

P +33-0640592049



Movex Nederland

P +31-630-994850



Movex Russia

P +7 (495) 925-88-56



Movex Ukraine

P +380-667507756


Movex[®] ***is online!***

Always connected.

*Consult our catalog
from your favorite
device and request
a free quotation.*



www.movexii.com



RESPONSIVE



Movex[®] ***is App!***



***Stay updated
on our latest news.***


*Discover more about us
and our products.*

***Download it free today
from the App store!***



Movex





219 - Ø40 | **220 - Ø47** | **201 - Ø50** | **203 - Ø57** | **202 - Ø60** | **204 - Ø67**



Pag 348



Pag 348



Pag 349



Pag 349



Pag 350



Pag 350

222 - Ø40 | **223 - Ø47** | **224 - Ø50** | **225 - Ø57** | **226 - Ø60** | **227 - Ø67**



Pag 351



Pag 351



Pag 352



Pag 352



Pag 353



Pag 353

208 | **209** | **232** | **210** | **211** | **207**



Pag 354



Pag 354



Pag 355



Pag 355



Pag 355



Pag 356

233 | **213** | **221** | **215** | **217** | **230**



Pag 356



Pag 356



Pag 357



Pag 357



Pag 357



Pag 358

231





Pag 358

219

Rullini di ritorno D=40 mm

Return roller D=40 mm / Rückführrolle D=40 mm

Delivery: **Easy** **Standard**



Part	Article-Nr.	L	ØA
219	21951	41	16
219	21952	41	18
219	21953	41	20
219	21901	82,5	16
219	21902	82,5	18
219	21903	82,5	20
219	21911	84,5	16
219	21912	84,5	18
219	21913	84,5	20
219	21964	116	12
219	21961	116	16
219	21962	116	18
219	21963	116	20






Tenuta stagna
Watertight
Wasserdicht

220

Rullini di ritorno gommati D=47 mm

Return roller with rubber D=47 mm / Rückführrolle gummiert D=47 mm

Delivery: **Easy** **Standard**





Part	Article-Nr.	L	ØA
220	22051	41	16
220	22052	41	18
220	22053	41	20
220	22001	82,5	16
220	22002	82,5	18
220	22003	82,5	20
220	22011	84,5	16
220	22012	84,5	18
220	22013	84,5	20
220	22064	116	12
220	22061	116	16
220	22062	116	18
220	22063	116	20



Tenuta stagna
Watertight
Wasserdicht

201 Rullini di ritorno D=50 mm Return roller D=50 mm / Rückführrolle D=50 mm

Delivery: **Easy** **Standard**





Part	Article-Nr.	L	ØA
201	20151	41	16
201	20152	41	18
201	20153	41	20
201	20101	82,5	16
201	20102	82,5	18
201	20103	82,5	20
201	20111	84,5	16
201	20112	84,5	18
201	20113	84,5	20
201	20164	116	12
201	20161	116	16
201	20162	116	18
201	20163	116	20



Tenuta stagna
 Watertight
 Wasserdicht

203 Rullini di ritorno gommati D=57 mm Return roller with rubber D=57 mm / Rückführrolle gummiert D=57 mm

Delivery: **Easy** **Standard**





Part	Article-Nr.	L	ØA
203	20351	41	16
203	20352	41	18
203	20353	41	20
203	20301	82,5	16
203	20302	82,5	18
203	20303	82,5	20
203	20311	84,5	16
203	20312	84,5	18
203	20313	84,5	20
203	20364	116	12
203	20361	116	16
203	20362	116	18
203	20363	116	20



Tenuta stagna
 Watertight
 Wasserdicht

202 Rullini di ritorno D=60 mm Return roller D=60 mm / Rückführrolle D=60 mm

Delivery: **Easy** **Standard**






Part	Article-Nr.	L	ØA
202	20251	41	16
202	20252	41	18
202	20253	41	20
202	20201	82,5	16
202	20202	82,5	18
202	20203	82,5	20
202	20264	116	12
202	20261	116	16
202	20262	116	18
202	20263	116	20



Tenuta stagna
Watertight
Wasserdicht

204 Rullini di ritorno gommati D=67 mm Return roller with rubber D=67 mm / Rückführrolle gummiert D=67 mm

Delivery: **Easy** **Standard**





Part	Article-Nr.	L	ØA
204	20451	41	16
204	20452	41	18
204	20453	41	20
204	20401	82,5	16
204	20402	82,5	18
204	20403	82,5	20
204	20464	116	12
204	20461	116	16
204	20462	116	18
204	20463	116	20



Tenuta stagna
Watertight
Wasserdicht

222 Rullini di ritorno flangiati D=40 mm Return roller with flange D=40 mm / Rückführrolle mit Seitenscheibe D=40 mm





Tenuta stagna
Watertight
Wasserdicht

Part	Article-Nr.	L	ØA
222	22251	43	16
222	22252	43	18
222	22253	43	20
222	22201	85,5	16
222	22202	85,5	18
222	22203	85,5	20
222	22211	87,5	16
222	22212	87,5	18
222	22213	87,5	20
222	22264	119	12
222	22261	119	16
222	22262	119	18
222	22263	119	20

223 Rullini di ritorno flangiati gommati D=47 mm Return roller with flange and rubber D=47 mm / Rückführrolle gummiert mit Seitenscheibe D=47 mm

Delivery: **Easy** **Standard**





Tenuta stagna
Watertight
Wasserdicht

Part	Article-Nr.	L	ØA
223	22351	43	16
223	22352	43	18
223	22353	43	20
223	22301	85,5	16
223	22302	85,5	18
223	22303	85,5	20
223	22311	87,5	16
223	22312	87,5	18
223	22313	87,5	20
223	22364	119	12
223	22361	119	16
223	22362	119	18
223	22363	119	20

224

Rullini di ritorno flangiati D=50 mm

Return roller with flange D=50 mm / Rückführrolle mit Seitenscheibe D=50 mm



Tenuta stagna
Watertight
Wasserdicht




Part	Article-Nr.	L	ØA
224	22451	43	16
224	22452	43	18
224	22453	43	20
224	22401	85,5	16
224	22402	85,5	18
224	22403	85,5	20
224	22411	87,5	16
224	22412	87,5	18
224	22413	87,5	20
224	22464	119	12
224	22461	119	16
224	22462	119	18
224	22463	119	20

225

Rullini di ritorno flangiati gommati D=57 mm

Return roller with flange and rubber D=57 mm / Rückführrolle gummiert mit Seitenscheibe D=57 mm




Delivery: **Easy** Standard



Tenuta stagna
Watertight
Wasserdicht

Part	Article-Nr.	L	ØA
225	22551	43	16
225	22552	43	18
225	22553	43	20
225	22501	85,5	16
225	22502	85,5	18
225	22503	85,5	20
225	22511	87,5	16
225	22512	87,5	18
225	22513	87,5	20
225	22564	119	12
225	22561	119	16
225	22562	119	18
225	22563	119	20

226 Rullini di ritorno flangiati D=60 mm Return roller with flange D=60 mm / Rückführrolle mit Seitenscheibe D=60 mm






Part	Article-Nr.	L	ØA
226	22651	43	16
226	22652	43	18
226	22653	43	20
226	22601	85,5	16
226	22602	85,5	18
226	22603	85,5	20
226	22664	119	12
226	22661	119	16
226	22662	119	18
226	22663	119	20



**Tenuta stagna
 Watertight
 Wasserdicht**

227 Rullini di ritorno flangiati gommati D=67 mm Return roller with flange and rubber D=67 mm / Rückführrolle gummiert mit Seitenscheibe D=67 mm



Part	Article-Nr.	L	ØA
227	22751	43	16
227	22752	43	18
227	22753	43	20
227	22701	85,5	16
227	22702	85,5	18
227	22703	85,5	20
227	22764	119	12
227	22761	119	16
227	22762	119	18
227	22763	119	20




**Tenuta stagna
 Watertight
 Wasserdicht**

208


Rullini di ritorno flangiati D=42.5 mm

Return roller with flange D=42.5 mm / Rückführrolle mit Seitenscheibe D=42.5 mm

Delivery: **Easy** **Standard**



Part	Article-Nr.	$\varnothing A$
208	20801	16
208	20802	18
208	20803	20




209


Rullini di ritorno flangiati D=43 mm

Return roller with flange D=43 mm / Rückführrolle mit Seitenscheibe D=43 mm

Delivery: **Easy** **Standard**





Part	Article-Nr.	$\varnothing A$
209	20901	16
209	20902	18
209	20903	20



232 Rullini di ritorno flangiati Ø68 Return roller with flange Ø68 / Rückführrolle mit Seitenscheibe Ø68



Delivery: **Easy** **Standard** Max recommended tightening torque: 0,3 N mt




Part	Article-Nr.	ØA
232	23201	15
232	23202	16
232	23203	18
232	23204	20

210 Rullini doppio di ritorno Double return roller / Doppel- Rücklaufrolle

Delivery: **Easy** **Standard**





Part	Article-Nr.	ØA
210	21001	16
210	21002	18
210	21003	20




211 Rullini di ritorno D=42.5 mm Return roller D=42.5 mm / Rückführrolle D=42.5 mm

Delivery: **Easy** **Standard**




Part	Article-Nr.	ØA
211	21101	16
211	21102	18
211	21103	20



207 Flangia Flange / Seitenscheibe

Range Extension


Delivery: **Easy** **Standard**



	Part	Article-Nr.	ØA	ØB
New	207	20719	50	12
	207	20712	50	16
	207	20713	50	18
	207	20714	50	20
New	207	20720	60	12
	207	20701	60	16
	207	20702	60	18
	207	20703	60	20
New	207	20721	70	12
	207	20704	70	16
	207	20705	70	18
	207	20706	70	20
New	207	20722	80	12
	207	20707	80	16
	207	20708	80	18
	207	20709	80	20

233 Flangia Flange / Seitenscheib


Delivery: **Easy** **Standard**



	Part	Article-Nr.	ØA	ØB	C
233		23303	25,5	20	7,25
233		23304	60	20	7,25
233		23305	70	16	7
233		23307	70	20	7
233		23302	90	20	5

213 Pattino oscillante innesto rapido Snap-on sliding shoe / Rücklaufschuh, aufsteckbar


Delivery: **Easy** **Standard**



	Part	Article-Nr.	ØA
213		21301	16
213		21302	18
213		21303	20

221 Collare di riferimento con chiave Split collar with keyway / geteilter Stelling mit Nut

Delivery: **Easy** **Standard** Max recommended tightening torque: 0,3 N mt




Part	Article-Nr.	A	B	C	ØD	X
221	22101	8	28,3	14	25	46
221	22102	8	33,3	16	30	51
221	22103	10	38,3	16	35	57
221	22104	12	43,3	18	40	64

Part	Article-Nr.	A	B	C	ØD	X
221	22101Y	6,85	28,3	14	1"	46
221	22102Y	6,85	34,7	16	1,25"	52
221	22104Y	10,025	42,4	18	1,5"	64

215 Collare di riferimento Split collar / geteilter Stelling

Delivery: **Easy** **Standard** Max recommended tightening torque: 0,3 N mt




Part	Article-Nr.	ØA	ØB	C	X
215	21501	20	12	12	29,5
215	21502	22	14	12	31,5
215	21509	24	16	12	37
215	21503	26	18	14	40
215	21504	28	20	14	40
215	21505	32	25	14	46
215	21506	38	30	16	51
215	21507	43	35	16	57
215	21508	48	40	16	64

Part	Article-Nr.	ØA	ØB	C	X
215	21501Y	20	0,5"	12	29,5
215	21503Y	26	0,75"	14	40
215	21505Y	32	1"	14	46
215	21506Y	38	1,25"	16	52
215	21508Y	48	1,5"	18	64

217 Collare di riferimento Split collar / geteilter Stelling

Delivery: **Easy** **Standard** Max recommended tightening torque: 0,3 N mt




Part	Article-Nr.	□A	□B	C
217	21701	33	25	55
217	21702	37	30	60
217	21703	47	40	70
217	21704	59	50	81
217	21705	69	60	92



230 Piastrina Spacer / Führungsscheiben





Part Article-Nr.


230 23001



231 Distanziale per serpentina Spacer for serpentine / Montageblock

Part	Article-Nr.	W
231	23101	84
231	23102	88
231	23103	108
231	23104	116





301  Pag 361	302  Pag 361	305  Pag 362	306  Pag 362	307  Pag 363	308  Pag 363
309  Pag 364	310  Pag 364	311  Pag 365	312  Pag 365	398  Pag 366	398  Pag 366
313  Pag 367	314  Pag 367	314  Pag 367	315  Pag 368	316  Pag 368	317  Pag 369
317  Pag 369	318  Pag 370	319  Pag 370	3001  Pag 370	320  Pag 371	3002  Pag 371
321  Pag 372	322  Pag 372	323  Pag 372	324  Pag 373	325  Pag 373	326  Pag 373
327  Pag 373	328  Pag 374	329  Pag 374	330  Pag 374	390  Pag 374	392  Pag 375
393  Pag 375	336  Pag 375	394  Pag 376	341  Pag 376	331  Pag 377	331  Pag 377
345  Pag 378	337  Pag 379	338  Pag 379	339  Pag 379	349  Pag 380	350  Pag 380

351  Pag 380	352  Pag 380	347  Pag 381	348  Pag 381	346  Pag 382	356  Pag 382
357  Pag 382	335  Pag 383	358  Pag 384	364  Pag 384	359  Pag 385	365  Pag 385
360  Pag 386	360  Pag 387	366  Pag 386/387	361  Pag 388	361  Pag 389	367  Pag 388/389
364-365  Pag 390	366-367  Pag 391	366  Pag 392	367  Pag 392	364  Pag 393	365  Pag 393
395  Pag 394	362  Pag 394	358  Pag 394	333  Pag 394	353  Pag 395	354  Pag 395
355  Pag 395	363  Pag 396	396  Pag 397	363  Pag 398	199/299  Pag 399	368  Pag 400
369  Pag 400	370  Pag 401	371  Pag 401	342  Pag 402	372  Pag 402	373  Pag 403
383  Pag 403	384  Pag 403	385  Pag 404	386  Pag 404	397  Pag 405	3003  Pag 405
374  Pag 406	375  Pag 406	377  Pag 407	378  Pag 407	379  Pag 408	380  Pag 408
381  Pag 409	382  Pag 409	376  Pag 410	376  Pag 410	376  Pag 410	391  Pag 411
387  Pag 412	388  Pag 412				

Materiale / Material / Materialien:

Supporto: PA Support: PA Halter: PA

Volantino: PA+ottone nichelato Knob: PA+nickel plated brass Sterngriff: PA+ Messing vernickelt


Tirante: Acciaio inox Eyebolt: Stainless steel Augenschraube: Edelstahl

301-302

Componenti / Conveyor components / Komponenten

301 Supporto laterale -piccolo- Side bracket -small- / Geländerhalter -klein-


Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	B
301	30101	12	9
301	30105	14	9
301	30102	16	9
301	30103	12	10,5
301	30106	14	10,5
301	30104	16	10,5

302 Supporto laterale -piccolo- volantino alto Side bracket -small- high knob / Geländerhalter -klein- hoher Sterngriff

Delivery: **Easy** **Standard**




Part	Article-Nr.	ØA	B
302	30201	12	9
302	30205	14	9
302	30202	16	9
302	30203	12	10,5
302	30206	14	10,5
302	30204	16	10,5

305

Supporto laterale -medio-
Side bracket -medium- / Geländerhalter -medium-

Delivery: **Easy** **Standard**




Part	Article-Nr.	ØA	B
305	30501	12	9
305	30505	14	9
305	30502	16	9
305	30503	12	10,5
305	30506	14	10,5
305	30504	16	10,5

306

Supporto laterale -medio- volantino alto
Side bracket -medium- high knob / Geländerhalter -medium- hoher Sterngriff


Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	B
306	30601	12	9
306	30605	14	9
306	30602	16	9
306	30603	12	10,5
306	30606	14	10,5
306	30604	16	10,5

307 Supporto laterale -medio- orientabile Side bracket -medium- adjustable / Geländerhalter -medium- einstellbar


Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	B
307	30701	12	9
307	30705	14	9
307	30702	16	9
307	30703	12	10,5
307	30706	14	10,5
307	30704	16	10,5
307	30709	bracket	9
307	30710	bracket	10,5

308 Supporto laterale -medio- orientabile INOX Side bracket -medium- adjustable SS / Geländerhalter -medium- einstellbar Edelstahl

Delivery: **Easy** **Standard**




Part	Article-Nr.	ØA	B
308	30801	12	9
308	30805	14	9
308	30802	16	9
308	30803	12	10,5
308	30806	14	10,5
308	30804	16	10,5

309

Supporto laterale -grande-
Side bracket -large- / Geländerhalter -groß-

Delivery: **Easy** **Standard**




Part	Article-Nr.	ØA	B
309	30901	12	9
309	30905	14	9
309	30902	16	9
309	30903	12	10,5
309	30906	14	10,5
309	30904	16	10,5

310

Supporto laterale -grande- volantino alto
Side bracket -large- high knob / Geländerhalter -groß- hoher Sterngriff


Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	B
310	31001	12	9
310	31005	14	9
310	31002	16	9
310	31003	12	10,5
310	31006	14	10,5
310	31004	16	10,5

311 Supporto laterale -grande- orientabile Side bracket -large- adjustable / Geländerhalter -groß- einstellbar


Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	B
311	31101	12	9
311	31105	14	9
311	31102	16	9
311	31103	12	10,5
311	31106	14	10,5
311	31104	16	10,5
311	31109	bracket	9
311	31110	bracket	10,5

312 Supporto laterale -grande- orientabile INOX Side bracket -large- adjustable SS / Geländerhalter -groß- einstellbar Edelstahl

Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	B
312	31201	12	9
312	31205	14	9
312	31202	16	9
312	31203	12	10,5
312	31206	14	10,5
312	31204	16	10,5

Materiali / Material / Materialien:

Supporto: Acciaio inox Support: Stainless steel Halter: Edelstahl

Volantino: PA+ottone nichelato Knob: PA+nickel plated brass Sterngriff: PA+ Messing vernickelt

398


Supporto laterale inox -medio- orientabile

SS bracket -medium- adjustable / Edelstahl Geländerhalter -medium- einstellbar

Stainless Steel | AISI 304

Delivery: Easy Standard

Part	Article-Nr.	ØA
398	39860	12
398	39862	14
398	39861	16




Supporto laterale inox -grande- orientabile

SS bracket -large- adjustable / Edelstahl Geländerhalter -groß- einstellbar

Stainless Steel | AISI 304

Part	Article-Nr.	ØA
398	39870	12
398	39872	14
398	39871	16




Materiale / Material / Materialien:
 Volantino: PA+ottone nichelato Knob: PA+nickel plated brass Sterngriff: PA+ Messing vernickelt
 Tirante: Acciaio inox Eyebolt: Stainless steel Augenschraube: Edelstahl
 Testina: PA o Acciaio inox Heads: PA or stainless steel Schwenkkopf: PA oder Edelstahl
 Vite, rondella e dado: Acciaio inox Screw, washers and nut: Stainless steel Schraube, Unterlegs und Mutter: Edelstahl

313-314


Componenti / Conveyor components / Komponenten

313 Testina orientabile Adjustable head / Schwenkkopf

Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA
313	31301	12
313	31303	14
313	31302	16
313	31311	12-without knob
313	31313	14-without knob
313	31312	16-without knob




Without knob




Spacer
31330

314 Testina orientabile, acciaio inox Adjustable head, stainless steel / Schwenkkopf, Edelstahl

Delivery: **Easy** **Standard**




Part	Article-Nr.	ØA
314	31401	12
314	31403	14
314	31402	16
314	31411	12-without knob
314	31413	14-without knob
314	31412	16-without knob



Without knob

Testina orientabile alta, acciaio inox Adjustable head, stainless steel / Schwenkkopf, Edelstahl



Part	Article-Nr.	ØA
314	31409	12
314	31414	14
314	31410	16
314	31419	12-without knob
314	31421	14-without knob
314	31420	16-without knob



Without knob

315 Supporto laterale "L" L-bracket / Winkel

Stainless Steel | AISI 304





Delivery: **Easy** **Standard**

Part	Article-Nr.	Type
315	31501	A
315	31502	B



Type A - without nose

Type B - with nose



316 Supporto laterale "L" L-bracket / Winkel

Stainless Steel | AISI 304





Delivery: **Easy** **Standard**

Part	Article-Nr.	Type
316	31601	A
316	31602	B



Type A - without nose



Type B - with nose



317 Volantino Star knob / Sterngriff


Delivery: **Easy** **Standard**

Part	Article-Nr.	Ø
317	31701	50
317	31702	40



Volantino con tirante Star knob with eye-bolt / Sterngriff mit Augenschraube

Part	Article-Nr.	ØA
317	31799	12
317	31797	14
317	31798	16






318

Volantino
Star knob / Sterngriff

Delivery: **Easy** **Standard**

Part Article-Nr.

318 **31801**






319

Volantino
Star knob / Sterngriff

Delivery: **Easy** **Standard**

Part Article-Nr. Ø

319 **31901** 50






3001

Volantino a croce con boccola filettata
Star knob with threaded bush / Sterngriff mit Innengewinde

New

Part Article-Nr. Threaded bush material

3001 **300101** Stainless steel
3001 **300102** Brass



Materiale / Material / Materialien:

Part. 320: Poliammide + ottone nichelato / Polyamide + nickel plated brass / Polyamid + messing vernickelt

Part. 3002: Poliammide + ottone / Polyamide + brass / Polyamid + messing


320-3002

Componenti / Conveyor components / Komponenten

320 Volantino Ø80 Star knob Ø80 / Sterngriff Ø80

Delivery: **Easy** **Standard**

Part	Article-Nr.	A
320	32001	M12
320	32002	M16




3002 Tirante con boccola filettata Handle with threaded insert / T-Griff mit Innengewinde

New

Delivery: **Easy** **Standard**

Part	Article-Nr.	A	B	C	ØD	E	F	G	H
3002	300201	50	15	5	M6	14	17	10	24
3002	300202	50	15	5	M8	14	17	14	24
3002	300203	60	18	6	M10	16.5	24	21	33




321

Distanziale per supporto -piccolo-
Spacer for bracket -small- / Distanzstück für Geländerhalter -klein-

Delivery: **Easy** **Standard**

Part Article-Nr.

321 **32101**



Use with bracket
part. 301-302
pag 361


322

Distanziale per supporto -medio-
Spacer for bracket -medium- / Distanzstück für Geländerhalter -medium-

Delivery: **Easy** **Standard**

Part Article-Nr.

322 **32201**



Use with bracket
part. 305-306-307-308
pag 362-363


323

Distanziale per supporto -grande-
Spacer for bracket -large- / Distanzstück für Geländerhalter -groß-

Delivery: **Easy** **Standard**

Part Article-Nr.

323 **32301**



Use with bracket
part. 309-310-311-312
pag 364-365

Materiale / Material / Materialien: Morsetti: PA/Clamp: PA/Klemme: PA
Vite, perno e rondella: Acciaio inox/Screw, pin and washer: Stainless steel
Schraube, Bolzen und Scheibe: Edelstahl
Dado: ottone nichelato/Nut: nickel plated brass/Mutter: Messing vernickelt

324-325-326-327



Componenti / Conveyor components / Komponenten

324 Morsetto singolo per guida laterale conica Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: **Easy** **Standard**

Part Article-Nr.

324 32401






Pin design
pag 380

325 Morsetto singolo per guida laterale conica Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: **Easy** **Standard**

Part Article-Nr.

325 32501





326 Morsetto singolo per guida laterale conica Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: **Easy** **Standard**

Part Article-Nr.

326 32601



Reinforcement plate **33201**

327 Morsetto doppio per guida laterale conica Double clamp for conical side guide / Doppelklemme für konische Seitenführung



Delivery: **Easy** **Standard**

Part Article-Nr. ØA

327 32701 without pin

327 32702 12

327 32703 16




328

Morsetto singolo per guida laterale conica

Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: **Easy** **Standard**




Part	Article-Nr.	Material	Type
328	32801	AISI 304	A
328	32802	AISI 304	B
328	32811	AISI 316	A

329

Morsetto doppio per guida laterale conica

Double clamp for conical side guide / Doppelklemme für konische Seitenführung

Delivery: **Easy** **Standard**




Part	Article-Nr.	A	Type
329	32904	50,0	A
329	32901	63,5	A
329	32902	82,55	A
329	32903	95,25	A
329	32911	63,5	B
329	32912	82,55	B
329	32913	95,25	B

330

Morsetto singolo per guida laterale conica

Single clamp for conical side guide / Einfachklemme für konische Seitenführung

Delivery: **Easy** **Standard**




Part	Article-Nr.	A
330	33001	15
330	33002	26
330	33003	20
330	33004	30

390

Elemento di giunzione

Connecting element / Verbinder

Delivery: **Easy** **Standard**





Part	Article-Nr.
390	39001

392 Elemento di connessione Connecting clamp / Verbindungsklemme

Delivery: **Easy** **Standard**



Part	Article-Nr.	A
392	39201	75
392	39202	100
392	39203	150



393 Elemento di connessione Connecting clamp / Verbindungsklemme

Delivery: **Easy** **Standard**





Part	Article-Nr.
393	39302



336 Morsetto aggiustabile guide coniche Adjustable clamp for conical guide / verstellbare Klemme für konische Führungen



Delivery: **Easy** **Standard**

Part	Article-Nr.
336	33601



394 Morsetto di giunzione Joint clamp / Verbindungsplatte

Delivery: **Easy** **Standard**



Part	Article-Nr.	A	B	C	Specific
394	39401	81,5	9	18	used with part 135
394	39402	90	8	17	used with part 136



**Used with
Part 135**
Pag 335




**Used with
Part 136**
Pag 335

341 Morsetto Clamp / Klemme


Delivery: **Easy** **Standard**



Type A



Type B



Part	Article-Nr.	ØA	Type
341	34101	without pin	A
341	34102	12	A
341	34103	16	A



**Used with
Part 136**
Pag 335

Part	Article-Nr.	ØA	Type
341	34111	without pin	B
341	34112	12	B
341	34113	16	B



**Used with
Part 135**
Pag 335

Materiale / Material / Materialien:

Morsetti: acciaio inox/Clamp: SS/Klemme: Edelstahl

Viti e perno: Acciaio inox/Screws and pin: Stainless steel/Schraube und Bolzen:Edelstahl

Dadi: ottone nichelato/Nuts: nickel plated brass/Mutter: Messing vernickelt

331

Componenti / Conveyor components / Komponenten


331 Morsetto acciaio inox Clamp, stainless steel / Klemme, Edelstahl

New

Delivery: **Easy** **Standard**

Part	Article-Nr.	ØA
331	33101	without pin
331	33102	12
331	33103	16

For straight application




Used with Part:

135 Pag 335 - **187** Pag 340

189 Pag 339 - **1056** Pag 341


1057 Pag 341



Morsetto acciaio inox Clamp, for side guide / Klemme, Edelstahl

Part	Article-Nr.	ØA
331	33105	without pin
331	33106	12
331	33107	16

For curved application





Used with Part:

135 Pag 335 - **187** Pag 340

189 Pag 339 - **1056** Pag 341

1057 Pag 341



345


Morsetto acciaio inox
Clamp, stainless steel / Klemme, Edelstahl

Delivery: **Easy** **Standard**

Part	Article-Nr.	ØA
345	34501	without pin
345	34502	12
345	34503	16





Used with
Part 136
Pag 335



337 Morsetto singolo per tondino Single clamp for round bar / Einfachklemme für Rund Profil

Delivery: **Easy** **Standard**

Part	Article-Nr.	ØA
337	33701	10
337	33702	12






Pin design
pag 380

338 Morsetto singolo per tondino Single clamp for round bar / Einfachklemme für Rund Profil

Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA
338	33801	10
338	33802	12



339 Morsetto doppio per tondino Double clamp for round bar / Doppelklemme für Rund Profil


Delivery: **Easy** **Standard**

Part	Article-Nr.	ØA
339	33901	without pin
339	33902	12
339	33904	14
339	33903	16




349 Perno Rod / Bolzen

Delivery: **Easy** **Standard**



Part	Article-Nr.	A
349	34901	80
349	34902	100
349	34903	150


Example: CLAMP



Part 324
Pag 373


350 Perno Rod / Bolzen

Delivery: **Easy** **Standard**



Part	Article-Nr.	A
350	35001	80
350	35002	100
350	35003	150


Example: CLAMP




Part 337
Pag 379

351 Perno Rod / Bolzen

Delivery: **Easy** **Standard**




Part	Article-Nr.	A	B
351	35101	80	M10
351	35102	100	M10
351	35103	150	M10
351	35151	80	M8
351	35152	100	M8
351	35153	150	M8



Example:
CLAMP
Part 339
Pag 379

352 Perno Rod / Bolzen

Delivery: **Easy** **Standard**




Part	Article-Nr.	A	B
352	35201	80	M10
352	35202	100	M10
352	35203	150	M10
352	35251	80	M8
352	35252	100	M8
352	35253	150	M8

347 Perno filettato femmina Rod / Bolzen

Delivery: **Easy** **Standard**




Part	Article-Nr.	A	B
347	34701	80	M10
347	34702	100	M10
347	34703	150	M10
347	34751	80	M8
347	34752	100	M8
347	34753	150	M8



348 Perno filettato femmina Rod / Bolzen



Part	Article-Nr.	A	B
348	34801	80	M10
348	34802	100	M10
348	34803	150	M10
348	34851	80	M8
348	34852	100	M8
348	34853	150	M8




346 Snodo Joint rod adapter / Gelenk

Delivery: **Easy** **Standard**



Part	Article-Nr.	A	B	C
346	34601	M8	M8	19
346	34602	M8	M10	19
346	34603	M10	M10	19
346	34699	M8	M8	16



356 Perno snodato Jointed rods / Gelenkbolzen

Delivery: **Easy** **Standard**




Part	Article-Nr.	A
356	35601	80
356	35602	100
356	35603	150

Use with bracket:

Part 324 Pag 373

Part 337 Pag 379




357 Perno snodato Jointed rods / Gelenkbolzen

Delivery: **Easy** **Standard**



Part	Article-Nr.	A
357	35701	80
357	35702	100
357	35703	150




335

Guide a rulli laterale Roller guides / Röllchenführung

Max fixing load M8 screw: 15 N/m

New Patented

New



Type A

Part	Article-Nr.	Type
335	33502	A





Type B

Part	Article-Nr.	Type
335	33504	B






Type B1

Part	Article-Nr.	Type
335	33506	B1



Advantages:

- Noise reduction
- Improved product stability



Materiale / Material / Materialien:

Guida: alluminio anodizzato/Guide: anodized aluminum/Führung: eloxiertem Aluminium

Rulli: resina acetica o gomma SEBS/Rollers: Acetal Resin or SEBS rubber/Röllchen: Azetal oder SEBS gummi

Vite: Acciaio inox Screw: Stainless steel Schrauben: Edelstahl

358


Guide a rulli laterale Roller guides / Röllchenführung

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m



Type A

Part	Article-Nr.	Type
358	35802	A







Type B

Part	Article-Nr.	Type
358	35804	B



Type B1

Part	Article-Nr.	Type
358	35806	B1



**Soft roller
SEBS rubber**

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394



Puntale / Shoe / Einlaufschuh








Part	Article-Nr.	Type
364	36401	fresato/machined/gefräst

Discover more options:
Pag 390/391

359

Guide a rulli laterale Roller guides / Röllchenführung

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m



Roller
 pag 322-323



Fixing screw:
 M8 hex.head
 or **PART 362** Pag 394



Puntale / Shoe / Einlaufschuh



Part	Article-Nr.	Type
365	36501	fresato/machined/gefräst

Discover more options:
 Pag 390/391





Materiale / Material / Materialien:

Guida: alluminio anodizzato/Guide: anodized aluminum/Führung: eloxiertem Aluminium
Rulli: resina acetica o gomma SEBS/Rollers: Acetal Resin or SEBS rubber/Röllchen: Azetal oder SEBS gummi

360

Guide a rulli intermedia
Roller guides / Röllchenführung

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m



Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394



Puntale / Shoe / Einlaufschuh



Part	Article-Nr.	Type
366	36601	fresato/machined/gefräst

Discover more options:
Pag 390/391

360

Guide a rulli intermedia
Roller guides / Röllchenführung

Reinforced Version

New

Max fixing load M8 screw: 15 N/m

Type A



Part	Article-Nr.	Type
360	36012	A

Type B







Part	Article-Nr.	Type
360	36014	B

Type B1



Part	Article-Nr.	Type
360	36016	B1



Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394




Puntale / Shoe / Einlaufschuh



Part	Article-Nr.	Type
366	36601	fresato/machined/gefräst

Discover more options: Pag 390/391



Materiale / Material / Materialien:

Guida: alluminio anodizzato/Guide: anodized aluminum/Führung: eloxiertem Aluminium
Rulli: resina acetica o gomma SEBS/Rollers: Acetal Resin or SEBS rubber/Röllchen: Azetal oder SEBS gummi

361

Guide a rulli intermedia
Roller guides / Röllchenführung

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m




Type A

Part	Article-Nr.	Type
361	36102	A







Type B

Part	Article-Nr.	Type
361	36104	B



Type B1

Part	Article-Nr.	Type
361	36106	B1



Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394



Puntale / Shoe / Einlaufschuh



Part	Article-Nr.	Type
367	36701	fresato/machined/gefräst

Discover more options:
Pag 390/391





361

Guide a rulli intermedia
Roller guides / Röllchenführung

Reinforced Version

New

Delivery: **Easy** **Standard** Max fixing load M8 screw: 15 N/m



Soft roller
SEBS rubber

Roller
pag 322-323



Fixing screw:
M8 hex.head
or **PART 362** Pag 394




Puntale / Shoe / Einlaufschuh



Part	Article-Nr.	Type
367	36701	fresato/machined/gefräst

Discover more options: Pag 390/391

Movex®






364 Puntale Shoe / Einlaufschuh

New

Delivery: **Easy** **Standard** Part. 364 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
364	36411	M6






365 Puntale Shoe / Einlaufschuh

New

Delivery: **Easy** **Standard** Part. 365 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
365	36511	M6



Materiale / Material / Materialien:

Rulli: Resina acetica / Rollers: Acetal Resin / Röllchen: Azetal

Grano: Acciaio inox/Grub Screws: Stainless steel/Gewindestift: Edelstahl

Dadi: ottone nichelato/Nuts: nickel plated brass/Mutter: Messing vernickelt

366-367

Componenti / Conveyor components / Komponenten




366 Puntale Shoe / Einlaufschuh

New

Delivery: **Easy** **Standard** Part. 366 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
------	-------------	------------

366	36611	M6
-----	-------	----






367 Puntale Shoe / Einlaufschuh

New

Delivery: **Easy** **Standard** Part. 367 it is designed to allow the possibility to shorten it, if necessary.

Part	Article-Nr.	Grub screw
------	-------------	------------

367	36711	M6
-----	-------	----



366


Puntale centrale a rulli
 Central roller shoe / Einlaufschuh mitting

Patented




Type B1
 Soft roller
 SEBS rubber

Part	Article-Nr.	Type
366	36621	A
366	36622	B
366	36623	B1



Type A



Type B

367


Puntale centrale a rulli
 Central roller shoe / Einlaufschuh mitting

Patented




Type B1
 Soft roller
 SEBS rubber

Part	Article-Nr.	Type
367	36721	A
367	36722	B
367	36723	B1



Type A



Type B


364

Puntale laterale a rulli
Side roller shoe / Einlaufschuh seitlich


Patented



Type B1
Soft roller
SEBS rubber



Type A



Type B

Part	Article-Nr.	Type
364	36421	A
364	36422	B
364	36423	B1


365

Puntale laterale a rulli
Side roller shoe / Einlaufschuh seitlich


Patented



Type B1
Soft roller
SEBS rubber




Type A



Type B

Part	Article-Nr.	Type
365	36521	A
365	36522	B
365	36523	B1

395 Guida laterale in PE PE side guides / Seitenführung in PE





Part	Article-Nr.	L
395	39501	3 m




362 Vite a "T" T-bolt / T-Schraube

Delivery: **Easy** **Standard**




Part	Article-Nr.	A
362	36201	16
362	36202	19
362	36203	25


358 Guide in alluminio Aluminum guides / Aluminiumführung




35800



35900





36100



36000

Part	Article-Nr.	Version	Min. radius	L
358	35800	Single-lateral	250	3 m
359	35900	Double-lateral	500	3 m
360	36000	Single-central	500	3 m
361	36100	Double-central	750	3 m

333 Elemento di giunzione Connecting elements / Verbindungselement




Part	Article-Nr.
333	33301

353 Guide a rulli di accumulo Accumulation roller guides / Stauröllchenführung

Delivery: **Easy** **Standard**


Part	Article-Nr.	A	Pin	Pin Ø
353	35301	1 m	PA	6 mm
353	35302	2 m	PA	6 mm
353	35303	3 m	PA	6 mm



354 Guide a rulli di accumulo Accumulation roller guides / Stauröllchenführung

Delivery: **Easy** **Standard**


Part	Article-Nr.	A	Pin	Pin Ø
354	35401	1 m	PA	6 mm
354	35402	2 m	PA	6 mm
354	35403	3 m	PA	6 mm



355 Guide a rulli di accumulo Accumulation roller guides / Stauröllchenführung

Delivery: **Easy** **Standard**

Part	Article-Nr.	A	Pin	Pin Ø
355	35501	1 m	SS	6 mm
355	35502	2 m	SS	6 mm
355	35503	3 m	SS	6 mm




363

Guida a rulli flessibile
Flexible roller guide / Flexible Röllchenführung


Delivery: **Easy** **Standard**

Part	Article-Nr.	Type	A
363	36301	A	8
363	36302	B	8
363	36303	A	10
363	36304	B	10




Advantages:

- Noise reduction
- Improved product stability




Type A



Type B

Curvature radius



Fixing with plate and metal profile



Fixing with plate:

- 40x8
- 40x10

Fixing with Metal:

Part 117
Pag 334

Part 1055
Pag 334




396


Guida a rulli flessibile
Flexible roller guide / Flexible Röllchenführung

Delivery: **Easy** **Standard**

Part	Article-Nr.	Type
396	39601	A
396	39602	B




Type A



Type B


Curvature radius



Fixing with plate and metal profile


Fixing with plate:

40x8



Fixing with Metal:

Part 117
Pag 334



363

Guida a rulli flessibile (centrale)


Flexible roller guide (Centre) / Flexible Röllchenführung (Zentral)

Delivery: Easy Standard


Part	Article-Nr.	Type	for plate
363	36313	A	40x8
363	36311	A	40x10
363	36314	B	40x8
363	36312	B	40x10




Type A



Type B



Puntale / Shoe / Einlaufschuh



Part	Article-Nr.	For Type
363	36399	A & B

Use with
Flexible roller guide
(Central version)
Part 363 Pag 396

199/299

Blocco di montaggio catena Chain mounting block / Kettenmontageblock

Delivery: **Easy** **Standard**



Part Article-Nr.

199 **19980**

For steel chain:

812/815 (GT)

881 M (GT)

and plastic chain:

820 (GT)

831

Part Article-Nr.

199 **19981**

For steel chain:

8157 (GT)

8857 M (GT/LBP)

and plastic chain:

8257 (GT/LBP)

8857 (GT/LBP)

882 Bevel

Part Article-Nr.

199 **19982**

For steel chain:

812/815 (GT)

881 M (GT)

and plastic chain:

828 (GT/LBP)

880 M

880 Bevel

879 M

879 Bevel

Part Article-Nr.




299 **29978**

For sideflexing belt/ chain:




260 M (FT/FG)

261 M (FT)

Disassembling mode:



Assembling mode:





368 Moduli di trasferimento L=85 mm Transfer modules L=85 mm / Überschubmodul L=85 mm



Delivery: **Easy** **Standard**





Smart Roll
with mini
bearing
in stainless
steel



Type A



Type B



Type C



Part	Article-Nr.	Type	Roller material
368	36801	A	Acetal resin
368	36802	B	Acetal resin
368	36803	C	Acetal resin
368	36801SS	A	Stainless steel
368	36802SS	B	Stainless steel
368	36803SS	C	Stainless steel

369 Moduli di trasferimento L=115 mm Transfer modules L=115 mm / Überschubmodul L=115 mm



Delivery: **Easy** **Standard**





Smart Roll
with mini
bearing
in stainless
steel



Type A



Type B





Type C

Part	Article-Nr.	Type	Roller material
369	36901	A	Acetal resin
369	36902	B	Acetal resin
369	36903	C	Acetal resin
369	36901SS	A	Stainless steel
369	36902SS	B	Stainless steel
369	36903SS	C	Stainless steel


370 Moduli di trasferimento L=85 mm Transfer modules L=85 mm / Überschubmodul L=85 mm

Delivery: **Easy** **Standard**



Part	Article-Nr.	Type
370	37001	A
370	37002	B
370	37003	C



Type A



Type B





Type C



371 Moduli di trasferimento L=115 mm Transfer modules L=115 mm / Überschubmodul L=115 mm

Delivery: **Easy** **Standard**



Part	Article-Nr.	Type
371	37101	A
371	37102	B
371	37103	C



Type A



Type B



Type C

Materiale / Material / Materialien:

Part. 342 Modulo: resina acetica/Moduls: acetal resin/Module: azetal

Perni, viti e dadi: Acciaio inox/Pins, Screws and nuts: stainless steel/Bolzen, Schraube und Mutter: edelstahl

Rulli: acciaio inox/Rollers: stainless steel/Rolle: edelstahl

342





Moduli di trasferimento L=200 mm

Transfer modules L=200 mm / Überschubmodul L=200 mm

New

Part Article-Nr.

342 34201





372

Cerniera

Hinge / Scharnier

Delivery: Easy Standard

Part	Article-Nr.	A	B	C	D	E
372	37201	11	14	10,5	6,5	6
372	37202	11	14	13,5	8,5	8
372	37203	18	21	13,5	8,5	8



Materiale / Material / Materialien:

Part. 383-384 Cerniera: Poliammide o Acciaio inox/Hinges: Polyamide or Stainless steel/Scharnier: Polyamid oder Edelstahl

Part. 372-373 Cerniera: Poliammide/Hinges: Polyamide/Scharnier: Polyamid

Perni: Acciaio inox/Pins: Stainless steel/Bolzen: Edelstahl

373-383-384



Componenti / Conveyor components / Komponenten

373 Cerniera Hinge / Scharnier

Delivery: **Easy** **Standard**



Part	Article-Nr.	C	D	E
373	37301	10,5	6,5	6
373	37302	13,5	8,5	4





383 Cerniera Hinge / Scharnier

Delivery: **Easy** **Standard**



Part	Article-Nr.	A	B	C	ØD	ØE	F	G
383	38301	24	25	14,5	4,5	14	44,6	41
383	38302	36	36	20,8	6,5	20	62,5	58





384 Cerniera Acciaio Inox SS Hinge / Edelstahl Scharnier

Delivery: **Easy** **Standard**



Part	Article-Nr.	A	B	C	ØD	ØE	F	G
384	38401	20	32,5	4,3	5,5	10,5	40	51
384	38402	30	41	5	6,5	12,5	60	71




385 Maniglia ad impugnatura morbida Soft touch handle / Handgriffe "Soft Touch"

Delivery: **Easy** **Standard**

Part Article-Nr.


385 **38501**



386 Maniglia Handle / Handgriff

Delivery: **Easy** **Standard**

Part	Article-Nr.	A	B	C	Ød	ØD	E	F
386	38601	120	140	40	8,8	13	24,5	16
386	38602	160	185	48	8,8	15	29	16



Materiale / Material / Materialien:

Part. 397: Acciaio inox / Stainless steel / Edelstahl

Part. 3003: Morsetti: Poliammide / Handels: Polyamide / Griff: Polyamid

Inserto femmina: Ottone / Female insert: Brass / Einsatz: Messing

397-3003


Componenti / Conveyor components / Komponenten

397 Maniglia acciaio inox Stainless Steel handle / Handgriffe Edelstahl

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**

Part	Article-Nr.	A
397	39701	95
397	39702	100
397	39703	110




3003 Maniglia piena con boccola Solid handle with threaded insert / Handgriff mit Innengewinde

New

Delivery: **Easy** **Standard**


Part	Article-Nr.	A	B	C	ØD	E	F	G	H
3003	300301	120	134	34	M6	9	50	16	25
3003	300302	120	134	34	M8	14	50	16	25




374

Maniglia a ripresa
Adjustable handle / Ratschenhebel

Range Extension



Part	Article-Nr.	A	B	C	D	E
374	37403	51	33	9	M5	12
374	37404	51	33	9	M6	12
374	37405	63	40	12	M6	18
374	37406	63	40	12	M8	18
374	37407	63	40	12	M10	18
374	37401	76	43	14	M8	18
374	37409	76	43	14	M10	18
374	37402	93	52	17	M10	22
374	37408	93	52	17	M12	22




375


Maniglia a ripresa
Adjustable handle / Ratschenhebel

Range Extension

Delivery: **Easy** Standard




Part	Article-Nr.	A	B	C	D	E
375	37508	51	33	9	M5	15
375	37509	51	33	9	M6	15
375	37510	63	40	12	M8	15
375	37511	63	40	12	M8	20
375	37501	76	43	14	M8	20
375	37512	76	43	14	M8	25
375	37502	76	43	14	M10	25
375	37513	93	52	17	M10	20
375	37514	93	52	17	M10	25



377

Morsetto standard per fotocellula o riflettore

Clamp for photocells or reflector / Klemme für Fotozelle oder Reflektor




Part	Article-Nr.	ØA
377	37701	14
377	37702	16
377	37703	20

378

Morsetti "T"



T-clamp / T-Klemme

Delivery: **Easy** **Standard**



Part	Article-Nr.	A	B
378	37801	10	8
378	37802	12	10
378	37803	14	12



379 Morsetto per riflettore Clamp for reflector / Reflektorklemme



Part	Article-Nr.	A	B
379	37901	10	8
379	37902	12	10
379	37903	14	12

380 Morsetto per fotocellule o sensori Clamp for photocells or sensors / Klemme für Lichtschranke oder Sensoren

Delivery: **Easy** **Standard**




Part	Article-Nr.	A	B
380	38001	10	8
380	38002	12	10
380	38003	14	12

381 Morsetto a croce Cross clamp / Kreuzklemmee

Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	ØB	C	D
381	38101	14	12	14	12
381	38102	16	14	16	14
381	38103	18	-	18	-
381	38104	20	16	20	16




382 Morsetto a croce Cross clamp / Kreuzklemmee



Delivery: **Easy** **Standard**



Part	Article-Nr.	ØA	ØB	C	D
382	38201	10	8	10	8
382	38202	12	10	12	10
382	38203	14	12	14	12





376 Morsetto a croce "extra" Extra Cross Block / Kreuzklemme "Extra"





Part	Article-Nr.	A	B
376	37601	30x30	16
376	37602	40x40	16
376	37603	40x40	20

Morsetto a croce "extra" con maniglia Extra Cross Block with handle / Kreuzklemme "Extra" m. Ratschenhebel



Part	Article-Nr.	A	B
376	37611	30x30	16
376	37612	40x40	16
376	37613	40x40	20

Morsetto a croce "extra" con maniglie Extra Cross Block with handles / Kreuzklemme "Extra" m. Ratschenhebel




Part	Article-Nr.	A	B
376	37621	30x30	16
376	37622	40x40	16
376	37623	40x40	20

391 Morsetto a croce Cross clamp / Kreuzklemmee

Delivery: **Easy** **Standard**

Part	Article-Nr.	ØA	ØB
391	39101	12	12
391	39103	14	14
391	39102	16	16
391	39104	12	16





387

Sostegno per Sgocciolatoio
Drip Tray Supports / Tropfblechhalter


Delivery: **Easy** **Standard** Max load capacity 20 Kg




Part	Article-Nr.	L	Type
387	38701	180	A
387	38702	250	A
387	38703	180	B
387	38704	250	B
387	38705	280	B
387	38706	246	C
387	38707	396	C
387	38708	180	D
387	38709	250	D




Type A



Type B



Type C





Type D

388



Rondella di fissaggio
Fixing washer / Fixierscheibe

Delivery: **Easy** **Standard**

Part	Article-Nr.	Type
388	38801	A
388	38802	B




Type A



Type B







401  Pag 414	402  Pag 414	403  Pag 415	404  Pag 415	407  Pag 416	408  Pag 416
409  Pag 417	499  Pag 417	410  Pag 418	411  Pag 418	426  Pag 419	432  Pag 419
427  Pag 420	425  Pag 420	413  Pag 421	417  Pag 421	414  Pag 422	419  Pag 423
420  Pag 423	415  Pag 424	416  Pag 425	428  Pag 426	429  Pag 426	430  Pag 426
418  Pag 427	421  Pag 428	422  Pag 428	423  Pag 428	424  Pag 428	

401 Base a due braccia Bipod / Zweibeinhalter

Delivery: **Easy** **Standard** Screw included



Part	Article-Nr.	ØA
401	40101	48,3
401	40105	50,9
401	40102	60,3



Tube sliding load resistance


$P = 8000 \text{ N}$

Max applicable load

$P = 9600 \text{ N}$


Bolts tightening torque

25 N.m




402 Base a due braccia 180° con giunto Bipod 180° with connector / Zweibeinhalter 180° m. Verbinder

Delivery: **Easy** **Standard** Screw included



Part	Article-Nr.	ØA	ØB
402	40201	48,3	48,3
402	40205	50,9	48,3
402	40202	60,3	48,3
402	40203	48,3	42,4
402	40206	50,9	42,4
402	40204	60,3	42,4



Tube sliding load resistance


$P = 8000 \text{ N}$

Max applicable load

$P = 8000 \text{ N}$

Bolts tightening torque

25 N.m



Materiale / Material / Materialien:

Basi: Poliammide/Base: Polyamide/Halter: Polyamid

Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/ Schrauben und Scheibe: Edelstahl

Inserti e dadi: ottone nichelato/Inserts nuts: nickel plated brass /Mutter: Messing vernickelt


403-404

Componenti di supporto / Conveyor support components / Stützelemente


403 Base a due braccia 120° con giunto

Bipod 120° with connector / Zweibeinhalter 120° m. Verbinder

Delivery: **Easy** **Standard** Screw included



Part	Article-Nr.	ØA	ØB
403	40301	48,3	48,3
403	40305	50,9	48,3
403	40302	60,3	48,3
403	40303	48,3	42,4
403	40306	50,9	42,4
403	40304	60,3	42,4



Tube sliding load resistance


$P = 8000 \text{ N}$

Max applicable load

$P = 8000 \text{ N}$

Bolts tightening torque

25 N.m




Example of application


404 Base a tre braccia

Tripod / Dreibeinhalter

Delivery: **Easy** **Standard** Screw included



Part	Article-Nr.	ØA
404	40401	48,3
404	40405	50,9
404	40402	60,3



Tube sliding load resistance


$P = 8000 \text{ N}$

Max applicable load

$P = 10000 \text{ N}$

Bolts tightening torque

25 N.m



Example of application

Materiale / Material / Materialien:

Testata: Poliammide/Side bracket: Polyamide/Halter: Polyamid

Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/Schrauben und Scheibe: Edelstahl

Dadi: ottone nichelato/Nuts: nickel plated brass/Mutter: Messing vernickelt

407

Testata laterale



Side mounting top bracket / seitlicher Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 2 kgm

Part Article-Nr. ØA

407 40701 48,3

407 40702 50,9



408



Testata laterale

Side mounting top bracket / seitlicher Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 2,5 kg/m | Screw not included

Part Article-Nr.

408 40801



Materiale / Material / Materialien:
 Testata: Acciaio inox / Support head: stainless steel / Halter: Edelstahl
 Viti e rondelle: Acciaio inox / Screws and washers: Stainless steel /
 Mutter: Edelstahl

409-499



Componenti di supporto / Conveyor support components / Stützelemente

409 Testata laterale Side mounting top bracket / seitlicher Stützkopf

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Screw included

Part	Article-Nr.	ØA
409	40901	48,3





499 Testata laterale Side mounting top bracket / seitlicher Stützkopf

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Screw not included




Part	Article-Nr.	ØA
499	49995	48,3



410 Testata d'appoggio Support head / Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 3,5 kgm




Part	Article-Nr.	ØA
410	41001	48,3
410	41002	60,3



411 Testata d'appoggio Support head / Stützkopf

Delivery: **Easy** **Standard** Max recommended tightening torque 1,5 kgm

Part	Article-Nr.	ØA
411	41101	48,3
411	41102	50,9






426 Testata d'appoggio Support head / Stützkopf

Stainless Steel | AISI 304

Screw included

Part Article-Nr.

426 42601






432 Tappo per tubi metrici tondi Plug for Round Metric Tubes / Runde Lamellenstopfen für metrische Röhren

New

Delivery: Easy Standard

Part Article-Nr.

432 43201






427 Supporto laterale Side bracket / Seitenhalter

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Screw-washer not included

Part	Article-Nr.	ØA
427	42701	16
427	42702	20





425 Morsetto a collare Clamp collar / Klemmschelle

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**

Part	Article-Nr.	A	ØB
425	42501	25	48,3
425	42511	25	50,8
425	42521	76,2	50,8



Materiale / Material / Materialien:

Giunto: Poliammide/Joint: Polyamide/Verbinder: Polyamid

Viti e rondelle: Acciaio inox/Screws and washers: Stainless steel/ Schrauben und Scheibe: Edelstahl

Inserti e dadi: Acciaio inox/Inserts nuts: Stainless steel/ Mutter: Edelstahl




413-417

Componenti di supporto / Conveyor support components / Stützelemente

413 Giunto di collegamento Connecting joint / Verbindungselement

Delivery: **Easy** **Standard** Max recommended tightening torque 1,5 kgm




Part	Article-Nr.	ØA	ØB	C	D	E
413	41301	48,3	48,3	134	86	68
413	41302	60,3	48,3	146	98	80
413	41303	60,3	60,3	146	98	80



417 Giunto di collegamento Connecting joint / Verbindungselement

Delivery: **Easy** **Standard**

Part	Article-Nr.	ØA
417	41701	48,3
417	41702	50,9






414

Giunto di collegamento (acciaio inox)
Connecting joint (SS) / Verbindungselement (Edelstahl)

Stainless Steel | AISI 304

Delivery: **Easy** **Standard** Max recommended tightening torque 2,5 kgm

Part	Article-Nr.	ØA	ØB	C	D	E
414	41401	48,3	48,3	100	130	72,5
414	41402	60,3	60,3	110	150	92,5



Materiale / Material / Materialien:
 Tappo: Poliammide / Plug: Polyamide / Stopfen: Polyamid
 Inserti: PA o Ottone / Inserts: PA or Brass
 Einsatz: PA oder Messing

419-420



Componenti di supporto / Conveyor support components / Stützelemente

419 Tappi ad espansione Expansions plugs / Gewindezapfen, Spreizbar

Delivery: **Easy** **Standard**



Part	Article-Nr.		ØA	B	C	M
	Brass Bush	PA Bush				
419	41907	-	20	19	3	M8
419	41908	-	20	19	3	M10
419	41901	-	20	20	4	M8
419	41902	-	20	20	4	M10
419	41903	41913	38	40	5	M8
419	41904	41914	38	40	5	M10
419	41905	41915	42,4	40	5	M8
419	41906	41916	42,4	40	5	M10





420 Tappi ad espansione Expansions plugs / Gewindezapfen, Spreizbar

Delivery: **Easy** **Standard**






Part	Article-Nr.		A	B	C	D	M
	Brass Bush	PA Bush					
420	42001	-	20	20	4	1,5	M8
420	42002	-	20	20	4	1,5	M10
420	42003	-	20	20	4	2	M8
420	42004	-	20	20	4	2	M10
420	42005	42015	40	40	5	2	M8
420	42006	42016	40	40	5	2	M10



415

Tappi tondi filettati

Threaded bushings for round tubes / Gewindezapfen f. Rund-Rohr

Delivery: **Easy** **Standard**

Part	Art.-Nr.	ØA	B	C	D
415	41507	30	1	M10	33
415	41508			M12	33
415	41509			M14	33
415	41510			M16	33
415	41511	30	1,5	M10	33
415	41512			M12	33
415	41513			M14	33
415	41514			M16	33
415	41515	30	2	M10	33
415	41516			M12	33
415	41517			M14	33
415	41518			M16	33
415	41519	30	2,5	M10	33
415	41520			M12	33
415	41521			M14	33
415	41522			M16	33
415	41523	38	1,5	M10	40
415	41524			M12	40
415	41525			M14	40
415	41526			M16	40
415	41527	38	2	M10	40
415	41528			M12	40
415	41529			M14	40
415	41530			M16	40
415	41531	38	2,5	M10	40
415	41532			M12	40
415	41533			M14	40
415	41534			M16	40
415	41535	42,4	1,5	M10	43
415	41536			M12	43
415	41537			M14	43
415	41538			M16	43
415	41539			M20	43
415	41540	42,4	2	M10	43
415	41541			M12	43
415	41542			M14	43
415	41543			M16	43
415	41544			M20	43
415	41545	42,4	2,5	M10	43
415	41546			M12	43
415	41547			M14	43
415	41548			M16	43
415	41549			M20	43
415	41550	48,3	1,5	M10	48
415	41551			M12	48
415	41552			M14	48
415	41501			M16	48
415	41502			M20	48




Part	Art.-Nr.	ØA	B	C	D
415	41553	48,3	2	M10	48
415	41554			M12	48
415	41555			M14	48
415	41556			M16	48
415	41557			M20	48
415	41558	48,3	2,5	M10	48
415	41559			M12	48
415	41560			M14	48
415	41561			M16	48
415	41562			M20	48
415	41563	50	1,5	M10	50
415	41564			M12	50
415	41565			M14	50
415	41503			M16	50
415	41504			M20	50
415	41566	50,9	1,5	M10	50
415	41567			M12	50
415	41568			M14	50
415	41569			M16	50
415	41570			M20	50
415	41571	50,9	2	M10	50
415	41572			M12	50
415	41573			M14	50
415	41574			M16	50
415	41575			M20	50
415	41576	50,9	2,5	M10	50
415	41577			M12	50
415	41578			M14	50
415	41579			M16	50
415	41580			M20	50
415	41581	60,3	1,5	M10	55
415	41582			M12	55
415	41583			M14	55
415	41584			M16	55
415	41585			M20	55
415	41586	60,3	2	M10	55
415	41587			M12	55
415	41588			M14	55
415	41505			M16	55
415	41506			M20	55
415	41589	60,3	2,5	M10	55
415	41590			M12	55
415	41591			M14	55
415	41592			M16	55
415	41593			M20	55

416

Tappi quadri filettati

Threaded bushings for square tubes / Gewindezapfen f. Vierkant-Rohr

Delivery: **Easy** **Standard**



Example of application

Part	Article-Nr.	A	B	C	D
416	41601	25	1,5	M10	30
416	41602			M12	30
416	41611	30	1,5	M10	33
416	41603			M12	33
416	41612			M14	33
416	41604			M16	33
416	41613	30	2	M10	33
416	41614			M12	33
416	41615			M14	33
416	41616			M16	33
416	41617	35	1,5	M10	43
416	41618			M12	43
416	41619			M14	43
416	41620			M16	43
416	41621			M20	43
416	41622	35	2	M10	43
416	41623			M12	43
416	41624			M14	43
416	41625			M16	43
416	41626			M20	43
416	41681	38,1	1,6	M10	43
416	41682			M12	43
416	41683			M14	43
416	41684			M16	43
416	41685			M20	43
416	41686	38,1	3	M10	43
416	41687			M12	43
416	41688			M14	43
416	41689			M16	43
416	41690			M20	43
416	41627	40	1,2	M10	43
416	41628			M12	43
416	41629			M14	43
416	41630			M16	43
416	41631			M20	43
416	41632	40	1,5	M10	43
416	41605			M12	43
416	41633			M14	43
416	41606			M16	43
416	41634			M20	43
416	41635	40	2	M10	43
416	41636			M12	43
416	41637			M14	45
416	41607			M16	45
416	41608			M20	45
416	41638	40	2,5	M10	45
416	41639			M12	45
416	41640			M14	45
416	41641			M16	45
416	41642			M20	45

Part	Article-Nr.	A	B	C	D
416	41643	45	2	M10	50
416	41644			M12	50
416	41645			M14	50
416	41646			M16	50
416	41647	50	1,2	M20	50
416	41648			M10	50
416	41649			M12	50
416	41650			M14	50
416	41651	50	1,5	M16	50
416	41652			M20	50
416	41653			M10	50
416	41654			M12	50
416	41655	50	2	M14	50
416	41656			M16	50
416	41657			M20	50
416	41658			M10	50
416	41659	50	2,5	M12	50
416	41660			M14	50
416	41609			M16	50
416	41610			M20	50
416	41661	50	3	M10	50
416	41662			M12	50
416	41663			M14	50
416	41664			M16	50
416	41665	50	3	M20	50
416	41666			M10	50
416	41667			M12	50
416	41668			M14	50
416	41669	60	2	M16	55
416	41670			M20	55
416	41671			M10	55
416	41672			M12	55
416	41673	60	3	M14	55
416	41674			M16	55
416	41675			M20	55
416	41676			M10	55
416	41677	60	3	M12	55
416	41678			M14	55
416	41679			M16	55
416	41680			M20	55

428

Tappi quadri filettati


Threaded bushings for square tube / Gewindezapfen f. Vierkant-Rohr

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**



Part	Article-Nr.	A	C	ØB	E
428	42801	40	M16	20	10
428	42802	40	M20	23	11,5
428	42803	45	M16	20	10
428	42804	45	M20	23	11,5
428	42805	50	M16	20	10
428	42806	50	M20	23	11,5
428	42807	60	M16	20	10
428	42808	60	M20	23	11,5




429

Tappi tondi filettati


Threaded bushings for round tube / Gewindezapfen f. Rund-Rohr

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**



Part	Article-Nr.	C	ØB	E
429	42901	M16	20	10
429	42902	M20	23	11,5



430

Tappi rettangolari filettati


Threaded bushings for rectangular tube / Gewindezapfen f. Rechteck

Stainless Steel | AISI 304

Delivery: **Easy** **Standard**



Part	Article-Nr.	C	ØB	E
430	43001	M16	20	10
430	43002	M20	23	11,5



418 Giunto di collegamento Connecting joint / Verbindungselement

Delivery: **Easy** **Standard**

Type A



Part	Article-Nr.	Type
418	41801	A

Type B



Part	Article-Nr.	Type
418	41802	B

Type C



Part	Article-Nr.	Type
418	41803	C

Type D



Part	Article-Nr.	Type
418	41804	D

Type E



Part	Article-Nr.	Type
418	41805	E

Type F



Part	Article-Nr.	Type
418	41806	F

Type G




Part	Article-Nr.	Type
418	41807	G


Type H



Part	Article-Nr.	Type
418	41808	H




Example of application



For Tubes
25 x 25 x 1.5 mm

421 Blocco per pannelli Panel clamp / Panelklemme


Delivery: **Easy** **Standard**



Part	Article-Nr.	A	B	C
421	42101	25	40	4
421	42102	25	40	5
421	42103	25	40	6
421	42104	30	45	4
421	42105	30	45	5
421	42106	30	45	6

422 Fermaporta Door stop / Türstopper


Delivery: **Easy** **Standard**



Part	Article-Nr.	A	B
422	42201	25	31

423 Blocchetto di fissaggio Fixing lock / Anschlag


Delivery: **Easy** **Standard**



Part	Article-Nr.
423	42301

424 Fermaporta a molla Spring loaded latch / Türverschluss

Delivery: **Easy** **Standard**



Part	Article-Nr.
424	42401

2019



WE CREATE SOLUTIONS

Movex designs and manufactures high quality components for the food, beverage, packaging, automotive and automation industries.

Movex meets your needs for standard and custom products in a dynamic and responsive way ensuring always the best performance.

Movex S.p.A.

Via Industria, 22
24060 Castelli Calepio (BG)

P +39 035 8359711
F +39 035 4420873



info@movexii.com
movexii.com

Movex around the world

Movex GmbH
P +49-6204-9375-0

Movex Brasil Ltda
P +55-15-3141-2550

Movex France
P +33-0640592049

Movex AG India
P +91-120-4159660-62

Movex Russia
P +7 (495) 925-88-56

Movex UK Ltd.
P +44-77-20678442

Movex Nederland
P +31-630-994850

Movex USA Inc.
P +1-919-274-5477

Movex SA de CV
P +52-1-3318458187

Movex Ukraine
P +380-667507756